

Combind c340 user manual



File Name: Combind c340 user manual.pdf

Size: 4583 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 8 May 2019, 14:10 PM

Rating: 4.6/5 from 706 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
Privacy - Terms

Book Descriptions:

Combbind c340 user manual



Type them in the search bar! You have come to the right place. If you dont see the user manual for your machine, give us a call and well be happy to get it to you at 18664559900. At the moment we are only using cookies that are strictly necessary to make our website function correctly. Update your cookie selection by clicking "Manage My Cookies".In addition, also try out the mediaserver. It combines a punch capacity of up to 25 80gsm sheets with a binding capacity of up to 450 sheets using 51mm spines. It binds A3 portrait, A4 or A5 sizes, includes auto centering, paper separator and a fullwidth handle to make paper punching smooth and easy. Choose color coded ProCombs for maximum productivity. Amacmz, her defasnda muk emmel sonuclar elde etmenizi saglay an geliskin ozelliklere sahip, uygun y atl ve k aliteli ciltleme makineleri uretmektir.ACCO Brands Europe vil efter eget skon enten reparere eller ombytte den defekte maskine gratis inden for garantiperioden. Tana takuuaikana ACCO Brands Europe harkintansa mukaan joko korjaa tai vaihtaa viallisen laitteen veloituksetta. T ue konetta nostaessasi kahvan ylaasentoon kuva 6. Vart mal er a lage innbindingsmaskiner av hoy kvalitet til en rimelig pris og med mange avanserte funksjoner, slik at du kan far otte resultater hver gang. Innenfor denne garantiperioden vil ACCO Brands Europe etter eget forgodtbennende enten reparere eller erstatte enheter med feil, vederlagsfritt. Okres gw arancyjny liczy sie od daty zakupu. Za pristupne ceny se snazime nabiz et kvalitni vazacky, jejichz uzitecne vlastnosti vam zaruci dosazeni k onzistentne vybornych vysledke. Behem zarucni dob y rma ACCO Brands Europe podle s ve vlastni uvahy v adny pristroj bezplatne opra vi nebo v ymeni. Binding doesnt get any simpler. The CombBind C340 is ideal for offices with frequent binding needs, combining a punch capacity of up to 25 80gsm sheets with a binding capacity of up to 450 sheets using 51mm

spines.<http://www.e-photosynthesis.org/userfiles/etabs-user-s-guide-u0026-introductory-manual.xml>

- **combbind c340 user manual, gbc combbind c340 instruction manual, combbind c340 user manual pdf, combbind c340 user manual download, combbind c340 user manual instructions, combbind c340 user manual free.**



It binds A3 and A4 portrait sheets only, includes auto centring, paper separator and a fullwidth handle to make paper punching smooth and easy. Choose colour coded ProCombs for maximum productivity. All manuals on ManualsCat.com can be viewed completely free of charge. By using the Select a language button, you can choose the language of the manual you want to view. Thank you for choosing a GBC Binding machine. We aim to

Safety instructions
DO NOT punch metallic objects such as staples or paper
Please empty the waste tray regularly. Ensure that the machine is operated on a flat stable surface. Never lift the machine by the punching handle. Always use

Maximum ambient
C450E is approved to EN60950 and CE Standards. Technical data subject to change without notification. Safety tips C450E. DO NOT obstruct air inlets and outlets. DO NOT use the binder if the power cord mains cable is
DO NOT place the power cord where it may be tripped over
Make sure the cable is
DO NOT use an extension cable unless it is absolutely
DO NOT leave the binder connected to the electricity supply
DO NOT immerse the binder in water or other liquids. Do not
DO NOT attempt to disassemble the binder. Always consult a

Maintenance options. If you would like to extend your warranty coverage beyond
ACCO Brands Europe reseller for options. Specifications. Operation mode. Max. binding size. Hole pitch. Number of punch slots. Margin depth. Punching paper 80gsm. Punching PVC plastic foils 0.2mm. Max. comb diameter. Binding capacity. Net weight. Dimensions WxDxH. Voltage. GBC CombBind C340
GBC CombBind C450E
Location of controls. Document separator. Clippings tray
Comb opening teeth. Paper centering dial. Electric punch button C450E only. U Comb opening knob. U Punching slot. U Punching handle C340 only. U Quick start guide
Operation of this machine is guaranteed for two years from
Within the guarantee
Proof of date of purchase will be
Register this product online at www.accoeuropa.com. Comb binding instructions.
http://euroquimicadistribucion.com/zabaleta/data/imagenes_contenidos/eta-3573-manual.xml



Each step relates to the illustrations throughout at the front of the quick start guide, located at the front of the box. Please open the quick start guide, located at the front of the box. Retain the packaging in case you need to return the machine. The punching mechanism is coated with a protective film of clear this by punching. Lift the lid and punch handle to the upright position. Place entire document so it rests on the lid. Measure document using colour coded guide fig.1. Open the lid of the machine and rest your document. Gently push the document. You can leave your comb which fits your document fig.2. Use the comb size guide to select the size of comb that fits. Load comb onto machine fig.3. Insert the binding comb next to the white positional arrow. Open comb by turning lever towards you. The coloured arrows adjacent to the opening comb act as a guide. Rotate the binding lever toward you until the comb is in position. Setting up C450E. Connect the binder to the electricity supply with the power cord. Wait while the binder goes through an automatic check. When complete the green LED will remain ON. The binder is ready for operation. **WARNING** This appliance **MUST** be earthed. If in doubt consult a qualified electrician. This machine has a recommended duty cycle of 5 operations per hour. This machine is fitted with a thermal overload safety feature. In extreme circumstances, the motor may overheat which will prevent the machine from operating. The thermal overload switch will automatically reset after the machine has cooled down. The machine will then operate as normal. Please ensure the clippings tray is emptied on a regular basis. This may prevent your machine from overloading fig.8. **Security.** A security slot is fitted for use with leading makes of security paper. To manage large documents use the document separator. Push the separator into the document. Lift the separator upwards to reveal the first stack of paper. On manual machines, always ensure the punch handle is in the upright position. Load the first paper stack into the punch slot.

Centre the paper using the dial located at the front of the machine. Adjust the machine by sliding the switch located at the front. For manual punching Lower the raised handle until the document is in position. Note If the machine is overloaded and fails to complete the job, If this does not work contact the service team. Place the front cover finished side down onto the opened lid. Place the document pages face down. Repeat for larger documents as for smaller documents. Rotate the binding lever away from you, back to its original position. Remove the book by lifting upward. Your document is now bound. Binding tips. Load the rear cover onto the open comb first, followed by the document. To edit your document, additional sheets may be included or removed. For further hints and tips please visit our website www.zipcomb.com. ZipComb spine fig.9. The ZipComb spine allows you to create an easily editable spine. Place spine on to ZipComb holder fig.9. Load punched paper on to spine. Remove document and spine, close the ZipComb using the back cover. Complete by flipping the back cover around the spine, for a finished book. The QuickStep Guide label on the machine is a quick reference to the comb size required by measuring on the document. Load the ProComb with the dot to the left and open until the document is in position. Punch and load your document on to the spine until your document is bound. Oxford House. Aylesbury HP21 8SZ. United Kingdom

KingdomServiceHereward Rise, Halesowen, West Midlands, B62 8AN. Tel 0845 658 6600, Fax 0870 421 5576. Acco Brands France SAS. Service apresvente, ZAC Excellence 2000, Arnoldstrasse 5, 73614 Schorndorf, Germany. ACCO Brands Iberia SL. P Isaac Peral 19, 28820 Coslada Madrid. Tel 902 500 182 ext.2, Fax 91 309 6412. ACCO Brands Italia Srl ACCO Brands Benelux B.V. Tel 080073362, Fax 024140784. ACCO Brands Benelux B.V. Tel 080021132, Fax 024140784. Tel 0306346060, Fax 0306346070. ACCO Brands Nordic AB. Makadamgatan 5, 254 64 Helsingborg, Sweden. XERTEC a.s. Tel 225 004 411, Fax 225 004 162. ACCO Polska Sp. z o.o. Al. Jerozolimskie 184, 02486 Warszawa Interелеktronik Kft. Tel 0612888080, Fax 0612888088. DataLux Distribution Company.



<http://superbia.lgbt/flotaganis/1653047178>

Pelikan Artline Pty Ltd ACCO Brands Schweiz GmbH. Gewerbestrasse 8, CH8212 Neuhausen a. Rheinfall. ACCO Rexel Ltd. Tel 01 816 4300, Fax 01 816 4302. Crusher Road, Crown Ext.3, PO Box 102. Crown Mines, Johannesburg 2025, South Africa. ACCO Brands Asia Pte Ltd. Rexel Office Products PTY Ltd. GBC Japan K.K. Tel 810353511801, Fax 810353511831 Perhaps the users of ManualsCat.com can help you answer your question. By filling in the form below, your question will appear below the manual of the GBC CombBind C340. Please make sure that you describe your difficulty with the GBC CombBind C340 as precisely as you can. The more precisely your question is, the higher the chances of quickly receiving an answer from another user. You will automatically be sent an email to inform you when someone has reacted to your question. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Swingline GBC CombBind C450E owners to properly answer your question. Ask a question About the Swingline GBC CombBind C450E This manual comes under the category Binding machines and has been rated by 1 people with an average of a 8.5. This manual is available in the following languages English, Dutch, Greek, Turkish, Czech, Finnish, Norwegian, Russian, Danish, Polish, Portuguese, Swedish, Italian, Spanish, French, German, Hungarian. Do you have a question about the Swingline GBC CombBind C450E or do you need help. Ask your question here Swingline GBC CombBind C450E specifications Brand

ManualSearcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for.

<https://extremeselfprotection.com/images/canon-video-camera-instruction-manual.pdf>



Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher.com If you continue to use this site we will assume that you are happy with it. Read more Ok. Our payment security system encrypts your information during transmission. We don't share your credit card details with thirdparty sellers, and we don't sell your information to others. To hide it, choose Ship in Amazon packaging at checkout. Please try again. Please try again. Ideal for medium to large offices with midrange binding needs. Machine binds spines with a maximum 2" diameter. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Please try your search again later. This high capacity machine tackles your toughest projects, binding up to 500 sheets and punching up to 25. Ideal for use in medium to large offices with midrange binding needs. The machine uses a unique, gravity fed, low force paper punch to make binding faster and easier. CombBind spines are sleek and sturdy, allowing pages to lie flat for easy reading and photocopying. Durable spines won't scratch, chip, peel or discolor over time. This machine accepts a maximum 2" diameter spine. It also accommodates both letter sized and oversized documents. A color coded document and spine size guide is printed directly on the machine itself, ensuring accuracy and allowing users access to the machine, without the need to read through a complex manual. GBC stands behind this high quality machine with a limited one year warranty. Click here to make a request to customer service. Lamination Depot Videos for related products 203 Click to play video How to use TruBinds Manual Coil Binding Machine TBS20 3 Easy Steps.

<http://energysatrap.com/images/canon-vixia-hv40-high-definition-camcorder-manual.pdf>



Lamination Depot Videos for related products 146 Click to play video Rayson PD1503 Coil Binding Machine 41 Binder with Electric Coil Inserter Rogers shop Videos for related products 231 Click to play video How to use TruBinds Electric CoilBinding Machine TBS20AP 3 Easy Steps. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Please try again later. Sierras 4.0 out of 5 stars I would have given it a 3.5 out of 5 stars if that were an option. I gave it 4 stars because my main complaint has to do with A4 size paper and most people will not use it for that. The PROS of the GBC C20 model are 1 It has staggered cutting teeth. As you pull the main handle, the teeth engage the paper at different points in the pull stroke, making it much easier to cut through the paper. This is a big help if you are doing a lot of binding. 2 It seems fairly well built and is not too heavy. 3 It will fit inside a 24gallon Action Packer, if you need to travel with it. Put a pillow on the top and bottom, or use clothing if you are comfortable with that. 4 I don't think this is a pro of the machine, but the C20 model has received undue criticism for punching unevenly. There are probably ways that GBC could have improved this, but it isn't that bad. I would say that this is mostly user error. You have to slide the paper back and forth a bit in the slot before punching to ensure that the paper edges are fully seated before punching. If you do not, then you will get uneven punches from bits of the punched paper that haven't yet fallen from prior punches. This can be resolved by learning how to use the machine. The CONS of the C20 model are 1 The stickers on the unit are really nice, but they come off very easily.

I have tried again and again to glue them down, but they often come up at the edges. 2 The unit is difficult to clean. I like the removable plastic tray underneath, but the little paper punches go all over the inside of the machine, and I can't find any easy way to get them out. I haven't taken the machine apart, but I suspect that would work. Anyone have any ideas 3 A4 size paper cutting is crippled on the US machine. I have done a lot of A4 binding with the C20 model while living outside the USA. US letter size paper has 19 holes and 19 teeth combs to fit. The C20 has one serious deficiency for binding A4 size paper. However, the main punch that cuts the holes in the paper will only punch 19 holes no matter what. This is almost criminal on the part of GBC. They advertise A4 size capability, include A4 size settings and enough fingers to pull open a 21 tooth A4 size comb, but the product as sold to me in the USA will only cut 19 slots. I called GBC to confirm this and they stated that it will only cut 19 slots, though the rep seemed surprised when I mentioned that the unit is made in Portugal a country that uses A4 size paper. Under good light, you can even see the extra holes on the far right and left of the cutter that would be available for cutting 21 slots, but they simply did not build the USA units with 21 teeth for cutting A4 size paper. The work around is to use

US sized 19 tooth combs when binding A4 size paper, or to manually cut the ends off of an A4 size comb if you buy the combs while living overseas. It doesn't look great, but it works. Two or three pages at most. The problem is that it's very difficult to feed in more than a couple of pages. They catch on some sort of ridge before entering the punch channel. If you are not careful you will have pages punched at an slight angle and you'll have to reprint those before binding. Also the stop for the top of the page is very small and it's easy to have pages slide up over it. This results in a ragged top.

<https://lakecountyoralsurgery.com/wp-content/plugins/formcraft/file-upload/server/content/files/1628088c0920c2---Bsnl-caller-id-phone-manual.pdf>

I'll probably keep it for now but I would be inclined to get the C10 or C20 next time. Took it out of the box last week and it does not work. Because I waited so long to use it Amazon will not take it back. The binder part works fine. It will NOT punch holes in the paper. Husband tried and got one set of holes punched and nothing after that. Out of the 19 punch holes only 2 teeth come through. They look misaligned. Told a friend who had purchased hers before mine and she said she started having the same problems so she took hers back and got her money back. Using folders right now as I cannot bind. That may not sound like a big deal, but it's a HUGE deal. The quality of my bind requires those extra millimeters in order to keep the book lasting longer. It's too easy to tear through the pages if it's too close to the edge like this. Also, the weight of the machine does not make it effective for use beyond just a couple pages at a time. I think the max I could get in there was about 10. When you pull down the handle to punch the paper the whole machine moves. I only tried hole punching about 5 pages at a time. The handle has now cracked. I have used several Swingline products before with none of these problems. Pros inexpensive. does a good job Cons there are these rubber things on bottom that are useless. One came off and now the whole thing jiggles when you use it. I need to try to pull off all the other ones so it balances it is big clunky and a little heavy Overall I like it Sorry, we failed to record your vote. Please try again The first one wasn't working. The first one wasn't working so we returned it and we paid more than what we got for our return shipping cost plus lots of hassle. The only way we can make it work is but only putting in 3 pages at a time Sorry, we failed to record your vote. Please try again Sorry, we failed to record your vote. Please try again Trying to bind a large document was very difficult. Sorry, we failed to record your vote.

www.cnlpzz.com/d/files/canon-1d-mark-ii-n-instruction-manual.pdf

Please try again It works well for. It works well for small jobs, but I bind large volumes for which it is not suited. Sorry, we failed to record your vote. Please try again Simple and easy!! Perfect for my needs!! Sorry, we failed to record your vote. Please try again. Punches up to 25 sheets using 20 lb. Vertical feed design assists in proper document alignment of both letter size and oversize paper. Durable plastic body construction. This CombBind C340 binding machine features a rotary dial for precise control of comb opening and closing. A document separator divides stacks of sheets into the right thickness for punching. The ergonomically designed handle adds convenient comfort for left and right handed users and serves as a carrying handle. The GBC Binding Machine manuals are sorted by popularity among Guidessimo users by the number of downloads and views on our website. Manuel d'utilisation. Bedienungsanleitung. Manuale d'istruzioni. Gebruiksaanwijzing. Manual de instrucciones. Kullannm Klavuzu Bruksanvisning. Bruksanvisning. Instrukcja obsługi. English. Deutsch. Italiano. Nederlands Suomi. Norsk. Svenska. Polski. Cesky. Magyar Location of controls. GBC CombBind C340. GBC CombBind C450E. Operation mode Max. binding size Number of punch slots Punching paper 80gsm Punching PVC plastic foils 0.2mm Max. comb diameter Binding capacity Net weight Dimensions WxDxH Voltage C450E is approved to EN60950 and CE Standards. Special notice. Thank you for choosing a GBC Binding machine. We aim to Safety instructions Maximum ambient Make sure the cable is Always consult a Maintenance options ACCO Brands Europe reseller for options. Retain the packaging in case you need to return the machine Clear this by punching Comb binding instructions. Each step relates to the illustrations

throwout at the front ofPlease open the quick start guide, located at the front of theSetting up
C450EWARNING This appliance MUST be earthed. If in doubt consult a qualified electrician.

Open the lid of the machine and rest your documentGently push the documentYou can leave yourUse
the comb size guide to select the size of comb that fitsInsert the binding comb next to the white
positional arrowThe coloured arrows adjacent to the opening comb act asRotate the binding lever
toward you until the comb bindingGuarantee. Operation of this machine is guaranteed for two years
fromWithin the guaranteeProof of date of purchase will beRegister this product online at
www.accoeuropa.comFor manual punching Lower the raised handle until theNote If the machine is
overloaded and fails to complete theIf this does not work contact the servicePlace the document
pages faceRepeat for larger documents asYour document is nowQuickstep Guide 123 fig.10. The
QuickStep Guide label on the machine is a quick referenceClose the spine. ZipComb spine fig.9. The
ZipComb spine allows you to create an easily editableSecurity. A security slot is fitted for use with
leading makes of securityMaintenance. This may prevent your machine from overloading
fig.8.Binding tipsIn extreme circumstances, the motor may overheat whichThis feature will prevent
theThe machine will then operate asGBC CombBind C340. Mode de fonctionnementTaille de reliure
max.Nombre d'emplacements de perforationFixe. FixeFeuilles plastique PVC pour perforation 0,2
mmPoids netDimensions L x P x H mmTensionMerci d'avoir choisi une perforelieuse GBC. Avant
d'utiliser votreOptions d'entretienLes deux voyants s'allument.Ouvrez le couvercle de l'appareil et
placez le document yRepoussez doucement le document contre le couvercleGarantie. Le
fonctionnement de ce produit est garanti pendant 2 ansAppuyez sur le "bouton de perforation" pour
annuler le voyantVotre document. Conseils de reliureQuickStep 123 fig. 10Peigne ZipComb fig.
9Kensington Microsaver. EntretienC340 seulementVidez le tiroir pour continuerC450E seulement.
Videz le tiroir pour continuer la reliure.GBC CombBind C340. Antriebsart. Manuell. Elektrisch. Max.

BindeformatAnzahl der LochstanzschlitzeNicht variabel. Nicht variabel. Lochstanzen Papier 80
gsmLochstanzen Kunststofffolien 0,2 mmMax. BindevolumenNettogewichtSpannungDie Modelle
C450E entsprechen EN60950 und den CENormen. Preis anzubieten, damit Sie bei jedem
Bindevorgang. Vor dem erstenVorderseite befindliche Stanzskala.Papierklammern, stanzen.
Luftfeuchtigkeiten ausgesetzt werden, die zu KondensationSpezieller Begriff.
SicherheitsInstruktionen. Anordnung der. Bedienelemente. Sicherstellen. Darauf achten, dass das
Kabel nicht gequetscht oderAuf die richtige Bemessung des. Kabels achten mindestens 10
A.Auseinanderbau darf nur von einer dazu qualifizierten PersonJeder einzelne Schritt bezieht sich
auf die herausklappbaren. Abbildungen vorn in diesem Handbuch. Auspacken und Einstellung
C450E. Stromversorgung an. Einschalttroutinen durchlaufen hat. Beide LEDs leuchten auf.Holen Sie
im Zweifelsfall Rat von einem. Elektriker ein.Dokumentmesshilfe anliegt. Dokumentmesshilfe
ablesen. Das Dokument in dieserDabei muss die offeneBewegen Sie den Bindehebel auf sich zu bis
der. Innerhalb desACCO Brands Europe autorisierten Personen vorgenommen. Es ist unser. Ziel
sicherzustellen, dass die Leistung unserer ProdukteRegistrieren Sie dieses Produkt online bei
www.accoeuropa.comPapierseparation benutzt.Papierstapel einfach gestanzt werden kann.Beim
Hochklappen des Hebels in. Elektrisches Lochstanzen Den LochstanzKnopf auf der. Hinweis Ist der
Papierstapel zu dick, so dass der. Lochstanzzyklus nicht abgeschlossen wird, leuchtet die rote. LED
auf. Zum Ausschalten der roten LED den LochstanzKnopf. Sie sich bitte an die
KundendienstHotline.Tipps zum BindenDokumente mit einer Standardlochung erstellen.Sicherheit.
Microsaver. WartungBevor mit dem Binden fortgefahren wird,Posizione comandi.

GBC CombBind C450EDimensione di rilegatura massimaNumero di slot di perforazionePerforazione
copertine PVC 0,2 mmDiametro max del anelloPeso nettoDimensioni LxPxAVoltaggioC450E sono
conformi agli standard EN60950 e CE. Dati tecnici soggetti a modifica senza preavviso. Avviso
speciale. Istruzioni di sicurezza C450E. Grazie per aver scelto una rilegatrice GBC. La nostra
aziendaPrima di usare la. Istruzioni di sicurezzaAccertarsi cheVerificare che il cavo non

sia Consultare sempre un Opzioni per la manutenzione Rimuovere questa Istruzioni per la rilegatura a Ciascun passaggio pertenece le illustrazioni riprodotte sulla Aprire la guida rapida collocata sulla parte anteriore della Disimballaggio e messa in ATTENZIONE Questa apparecchiatura DEVE In caso di dubbio, consultare un elettricista Aprire il coperchio della macchina ed appoggiare il Spingere delicatamente il documento contro il coperchio Utilizzare la guida del diametro degli anelli per selezionare il Inserirre gli anelli plastici accanto alla freccia bianca situata Le frecce colorate adiacenti agli anelli che si aprono Ruotare la leva di rilegatura fino a che i dorsi plastici Garanzia Difetti risultanti dall'uso Riparazioni ACCO Brands Europe si propone La presente garanzia Registrare il prodotto online presso www.accoeuropa.com Per la perforazione manuale Abbassare la maniglia Per la perforazione elettrica solo C450E Premere Premere il pulsante di perforazione per disinserire il LED rosso. Se il problema non viene risolto in questo modo, contattare il Consigli per la rilegatura Guida rapida QuickStep 123 L'etichetta Guida rapida QuickStep riportata sulla rilegatrice Selezionare Continuare ad Chiudere il dorso. Dorso ZipComb Figura 9. Il dorso ZipComb consente di creare documenti facilmente ZipComb utilizzando l'apposito accessorio in dotazione Sicurezza. La macchina dispone di uno slot di sicurezza da utilizzare. Ad esempio. Kensington Microsaver.

Assicurarsi che il cassetto degli sfridi sia svuotato Svuotare il contenuto del Risoluzione dei problemi In situazioni estreme, il GBC CombBind C340. Bediening Max. bind formaat Aantal ponsgaten Vast. Vast. Ponsen van papier 80 gsm Ponsen van PVC folie 0,2mm Max. bind rug diameter Bind capaciteit Netto gewicht Afmetingen BxDxH Voltage De C450E zijn goedgekeurd volgens EN 60950 en CE normen. De technische gegevens zijn onderhevig aan wijzigingen zonder voorafgaande kennisgeving. Speciaal bericht Gebruik hiervoor Veiligheidsvoorschriften C450E. U bent nu de gelukkige eigenaar van een GBC inbind machine. Wij hebben ons tot doel gesteld om betaalbare inbind machines Veiligheidsvoorschriften. Positie van de Reparatie kan alleen worden uitgevoerd door gekwalificeerde Onderhoud opties Voordat u documenten gaat inbinden Instructies voor het inbinden op Elke stap heeft betrekking op het illustratie pagina voor in deze Open de snelstartgids aan de voorzijde van de machine voor Uitpakken en installeren C450E WAARSCHUWING Deze machine moet Open het deksel van de machine en leg het document Duw het document Gebruik de schaalverdeling om de juiste bindrug voor het Plaats de bindrug naast de witte pijl op de machine, achter De kleur gecodeerde pijlen, naast de bindrug die wordt Trek de bindhendel naar u toe totdat de bindrug voldoende Garantie. Het gebruik van dit product is gegarandeerd voor 2 jaar vanaf Defecten die te wijten zijn aan verkeerd gebruik of gebruik voor De garantie vervalt Deze garantie maakt geen Registreer dit product online op www.accoeuropa.com Selecteer vervolgens de tweede en Handmatig ponsen Druk de ponshendel omlaag zodat het Elektrisch ponsen Alleen voor de C450E Druk Opmerking Als de machine wordt overbelast en de LED uit te zetten. Als dit niet lukt neem dan contact op met de Plaats vervolgens ook Plaats als laatste het achterblad Daarmee sluit u de bindrug. QuickStep informatie 123 Het label met QuickStep informatie op de machine biedt een Kies de benodigde. ProComb. Sluit de bindrug. ZipComb bindrug fig.

9 Sluit de ZipComb ZipComb te draaien het document ziet er professioneel uit Beveiliging. Er is een beveiligingssleuf voorzien voor het aanbrengen van Microsaver. Zorg ervoor dat de snipperopvangbak aan de linkerkant van Hiermee voorkomt u Probleem oplossingen In extreme gevallen De machine kan dan niet meer ponsen GBC CombBind C450E Capacidad de encuadrado Peso neto Dimensiones A x F x H Los modelos C450E son compatibles con las normas EN60950 y CE. Instrucciones de seguridad C450E m. Aviso especial Instrucciones de seguridad Para ello, utilice siempre las asas situadas en los laterales de Consulte siempre Opciones de mantenimiento Instrucciones para la AVISO Es OBLIGATORIO conectar a tierra Puede dejar el Las flechas de colores que hay junto al canutillo abierto Durante el plazo Las reparaciones o Nuestro objetivo Coloque las Su documento Canutillo ZipComb fig.9. El canutillo ZipComb le permite crear documentos que se. ZipComb tal y como se muestra en la figura 9. ZipComb. Seguridad GBC CombBind C450E Empenhamonos em produzir

encadernadoras de qualidade aCertifique-se de queConsulte sempreDesembalar e preparar
C450EGarantia. Estamos empenhados. Esta garantiaRegiste este produto online em
www.accoeuropa.comColoque a capa traseira a parteO seu documento ficaGuia Quickstep 123
figura 10. Seleccione as lombadas ProComb apropriadas.Lombada ZipComb figura 9. A lombada
ZipComb permitelhe criar um documento que podeZipComb, figura 9.ZipComb usando a ferramenta
de abertura e fecho dosKensington Microsaver.GBC CombBind C450EDelik aralg Maks. cilt boyutu.

<http://gbb.global/blog/bose-wave-radio-owners-manual-pdf>